



CoFC

Attorney Docket No. 826.1411D4

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Yutaka KATSUYAMA

Application No.: 09/755,046

Confirmation No.: 6749

Filed: January 8, 2001

U.S. Patent No.: 6,928,188

Issued: August 9, 2005

ATTENTION

CERTIFICATE OF CORRECTION

BRANCH

Batch No.:

Certificate

MAR 06 2006

of Correction

For: RULED LINE EXTRACTING APPARATUS FOR EXTRACTING RULED LINE FROM
NORMAL DOCUMENT IMAGE AND METHOD THEREOF

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the
subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s)
shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date: 2/24/06

By: [Signature]
J. Randall Beckers
Registration No. 30,358

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

MAR 7 2006

MAR 7 2006

MAR 7 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

PTO/SB/ 44 (08-00)
Approved for use through 09/30/2000. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,928,188

DATED : August 9, 2005

INVENTOR(S) : Yutaka KATSUYAMA

Col. 2, line 14 (Other Publications), please change "cooresponding" to – corresponding--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
7th Floor
Washington, DC 20005

PATENT NO. 6,928,188

No. of add'l copies
@ 50¢ per page

⇒

MAR 7 2006